

Kouřímského 2500 393 01, Pelhřimov, Czech Republic SALES@OPTOKONKABLE.COM WWW.OPTOKONKABLE.COM

## Outdoor Multitube Micro Cable 288F (RD)

Cable for external installation by air-blowing technique



Fiber count Fiber Type Fiber color

## Tube

Tube color – inner layer Tube color – outer layer Tube filling compound Central strength member Ripcord Outer jacket Outer jacket thickness

288
G.657.A1 200 μm
1-12 Blue, Orange, Green, Brown, Grey, White, Red, Black, Yellow, Violet, Pink, Aqua
13-24 Blue<sup>BS</sup>, Orange<sup>BS</sup>, Green<sup>BS</sup>, Brown<sup>BS</sup>, Grey<sup>BS</sup>, White<sup>BS</sup>, Red<sup>BS</sup>, Natural, Yellow<sup>BS</sup>, Violet<sup>BS</sup>, Pink<sup>BS</sup>, Aqua<sup>BS</sup> (<sup>BS</sup> = Black strip)
Gel-Filled PBT buffer tube
rer
Blue, Orange, Green, Brown, Grey, White, Red, Black, Yellow
Violet, Pink, Aqua, Blue<sup>BS</sup>, Orange<sup>BS</sup>, Brown<sup>BS</sup> (<sup>BS</sup> Black strip)
d
Thixotropic Jelly Compound
bler
FRP rod
1x under outer jacket
UV resistant black HDPE
s
0.45 mm

Cable outer diameter Tube count	8.2 24 (9+15)	[mm]
Filler count	0	
Max. Loading (Short Term)	1000	[N]
Max. Loading (Long Term)	120	[N]
Max. compressive loading	200	[N]
Max. Impact loading	2	[Nm]
Min. bend radius not load	15	[OD]
Min. bend radius load	20	[OD]
Operating temperature range	-30 to +70	[°C]
Storage temperature range	-30 to +70	[°C]
Installation temperature range	-10 to +50	[°C]
Cable Weight (calc.)	81	[kg/km]
Class of fire reaction	F <sub>ca</sub>	

Test standards: EN 60793-1, EN 60794-1-21, EN 60794-1-22, EN 13501-6

Cable Code (Ordering Code)	OPK-O-MTFDM-288(24x1.2)LTP-200A1-BK
Marking Method	Ink-Jet
Print legend	OPK -cable type - lot number- length marking per 1 m (customer print legend available on request)
Delivery length	2000 m, 4000 m $\pm$ 5% on plywood reel or solid wooden non-returnable drum

Specifications are to change without notice. The information in this document must not be copied or reproduced without the prior written permission of the OPTOKON Kable Co., Ltd., sr.o.